

Søkehistorikk – Lateral Trauma Position (ny runde vinter 2011/12)

Bestilt av: Gunn E Vist, Kunnskapssenteret og PK Hyldmo, Sørlandet Sykehus HF

Søk utført av: Hege Sløtsjøe

Søk utført: 27.01.2012

Spørsmål 1/Pico1

Lying supine/on back when unconscious / with reduced level of consciousness / in coma /not awake, may this result in loss of (patent) airway or lead to hypoxia and /or hyperventilation.

Database: Ovid MEDLINE(R) <1946 to January Week 3 2012>

Search Strategy: 27.1.2012

Antall treff: 157

- 1 exp Unconsciousness/ (30932)
- 2 Glasgow Coma Scale/ (5702)
- 3 unconscious*.tw. (7989)
- 4 (loss adj2 conscious*).tw. (3662)
- 5 (minimal adj2 conscious*).tw. (27)
- 6 coma*.tw. (24232)
- 7 pseudocoma*.tw. (7)
- 8 ((persistent* or transient* or permanent*) adj5 (unaware* or vegetativ* or state*)).tw. (5437)
- 9 (alter* adj2 mental adj2 status).tw. (1242)
- 10 syncope*.tw. (10020)
- 11 (glasgow adj2 scale).tw. (5377)
- 12 exp craniocerebral trauma/ (108562)
- 13 ((occipital or head or forehead or craniocerebral or cerebrocranial or cranial or parietal or temporal or frontal) adj2 (trauma* or wound*)).tw. (8747)
- 14 ((head or skull or craniocerebral or cerebrocranial or cranial) adj2 (injury or injuries)).tw. (19353)
- 15 Brain Injuries/ (36706)
- 16 ((brain or cortical or cerebral or hemisphere) adj2 (injury or injuries or laceration* or trauma* or contusion*)).tw. (33065)
- 17 (tbi or tbis).tw. (9229)
- 18 ((trauma* or post-trauma* or post-concussive*) adj2 encephalopath*).tw. (134)
- 19 exp Sleep apnea syndromes/ (19632)
- 20 ((sleep or nocturnal) adj2 (apnea* or hypopnea*)).tw. (13707)
- 21 (sleep-disordered adj2 breathing).tw. (2778)
- 22 hypersomnia*.tw. (1130)
- 23 or/1-22 (213371)
- 24 supine position/ (4009)
- 25 patient positioning/ (692)

- 26 ((dorsal or supine or semisupine or semi supine or back) adj2 (posture* or position* or lying*).tw. (9106)
- 27 (((back or spine) adj2 board*) or spineboard* or backboard*).tw. (50)
- 28 (vacuum adj mattress*).tw. (26)
- 29 or/24-28 (12066)
- 30 airway obstruction/ (14668)
- 31 ((airway* or airflow or respirator*) adj2 (obstruction* or loss or open or closure*).tw. (16654)
- 32 (choke or choking).tw. (1270)
- 33 anoxia/ (47801)
- 34 brain hypoxia/ (6174)
- 35 (anoxemia* or anoxia* or hypoxia* or hypoxemia* or anoxic* or hypoxic*).tw. (94592)
- 36 hypercapnia/ (6754)
- 37 (hypercapnia* or hypercapnea*).tw. (7455)
- 38 Hypoventilation/ (1526)
- 39 hypoventilation*.tw. (3178)
- 40 Mortality/ (31366)
- 41 (mortality or mortalities or death*).tw. (709472)
- 42 morbidity/ (21140)
- 43 (morbidity or morbidities).tw. (194417)
- 44 glasgow outcome scale/ (949)
- 45 (glasgow adj outcome).tw. (2056)
- 46 or/30-45 (940803)
- 47 23 and 29 and 46 (157)

Database: Embase <1980 to 2012 Week 03>

Search Strategy: 27.01.2012

Antall treff: 311

-
- 1 exp unconsciousness/ (58531)
 - 2 Glasgow coma scale/ (9534)
 - 3 unconscious*.tw. (10509)
 - 4 (loss adj2 conscious*).tw. (4857)
 - 5 (minimal adj2 conscious*).tw. (47)
 - 6 coma*.tw. (29088)
 - 7 pseudocoma*.tw. (8)
 - 8 ((persistent* or transient* or permanent*) adj5 (unaware* or vegetativ* or state*).tw. (6305)
 - 9 (alter* adj2 mental adj2 status).tw. (1803)
 - 10 syncope*.tw. (13321)
 - 11 (glasgow adj2 scale).tw. (6909)

- 12 exp brain injury/ (93995)
- 13 head injury/ (32720)
- 14 ((occipital or head or forehead or craniocerebral or cerebrocranial or cranial or parietal or temporal or frontal) adj2 (trauma* or wound*)).tw. (10801)
- 15 ((head or skull or craniocerebral or cerebrocranial or cranial) adj2 (injury or injuries)).tw. (22718)
- 16 ((brain or cortical or cerebral or hemisphere) adj2 (injury or injuries or laceration* or trauma* or contusion*)).tw. (43925)
- 17 (tbi or tbis).tw. (13007)
- 18 ((trauma* or post-trauma* or post-concussive*) adj2 encephalopath*).tw. (173)
- 19 sleep apnea syndrome/ (28119)
- 20 ((sleep or nocturnal) adj2 (apnea* or hypopnea*)).tw. (18657)
- 21 (sleep-disordered adj2 breathing).tw. (3945)
- 22 hypersomnia*.tw. (1541)
- 23 or/1-22 (260895)
- 24 supine position/ (8708)
- 25 patient positioning/ (10621)
- 26 ((dorsal or supine or semisupine or semi supine or back) adj2 (posture* or position* or lying*)).tw. (11254)
- 27 (((back or spine) adj2 board*) or spineboard* or backboard*).tw. (67)
- 28 (vacuum adj mattress*).tw. (38)
- 29 or/24-28 (24899)
- 30 airway obstruction/ (20552)
- 31 ((airway* or airflow or respirator*) adj2 (obstruction* or loss or open or closure*)).tw. (19703)
- 32 (choke or choking).tw. (1646)
- 33 exp hypoxemia/ (91226)
- 34 brain hypoxia/ (8980)
- 35 (anoxemia* or anoxia* or hypoxia* or hypoxemia* or anoxic* or hypoxic*).tw. (112821)
- 36 hypercapnia/ (11315)
- 37 (hypercapnia* or hypercapnea*).tw. (8333)
- 38 hypoventilation/ (3575)
- 39 hypoventilation*.tw. (3825)
- 40 mortality/ (397347)
- 41 (mortality or mortalities or death*).tw. (875995)
- 42 morbidity/ (150677)
- 43 (morbidity or morbidities).tw. (253337)
- 44 glasgow outcome scale/ (1743)
- 45 (glasgow adj outcome).tw. (2757)
- 46 or/30-45 (1327578)
- 47 23 and 29 and 46 (311)

ISI Web of Science

Dato: 27.01.2012

Antall treff: 472

- # 29 471 #28 AND #20
- # 28 987 238 #27 OR #26 OR #25 OR #24 OR #23 OR #22 OR #21
- # 27 1 628 TI=("glasgow outcome scale") OR TS=("glasgow outcome scale")
- # 26 885 415 TI=(mortality or mortalities or death* or morbidity or morbidities) OR TS=(mortality or mortalities or death* or morbidity or morbidities)
- # 25 2 782 TI=hypoventilation* OR TS=hypoventilation*
- # 24 7 325 TI=(hypercapnia* or hypercapnea*) OR TS=(hypercapnia* or hypercapnea*)
- # 23 89 518 TI=(anoxemia* or anoxia* or hypoxia* or hypoxemia*) OR TS=(anoxemia* or anoxia* or hypoxia* or hypoxemia*)
- # 22 3 156 TI=(choke or choking) OR TS=(choke or choking)
- # 21 15 775 TI=((airway* or airflow or respirator*) NEAR/2 (obstruction* or loss or open or closure*)) OR TS=((airway* or airflow or respirator*) NEAR/2 (obstruction* or loss or open or closure*))
- # 20 2 940 #19 AND #15
- # 19 299 240 #18 OR #17 OR #16
- # 18 27 TI=(vacuum NEAR/2 mattress*) OR TS=(vacuum NEAR/2 mattress*)
- # 17 125 TI((((back or spine) NEAR/2 board*) or spineboard* or backboard*) OR TS((((back or spine) NEAR/2 board*) or spineboard* or backboard*))
- # 16 299 183 TI=(dorsal or supine or semisupine or semi supine or back) OR TS=(dorsal or
- # 15 147 238 #14 OR #13 OR #12 OR #11 OR #10 OR #9 OR #8 OR #7 OR #6 OR #5 OR #4 OR #3 OR #2 OR #1
- # 14 1 082 TI=hypersomnia* OR TS=hypersomnia*
- # 13 3 342 TI=(sleep-disordered NEAR/2 breathing) OR TS=(sleep-disordered NEAR/2 breathing)
- # 12 18 779 TI=((sleep or nocturnal) NEAR/2 (apnea* or hypopnea*)) OR TS=((sleep or nocturnal) NEAR/2 (apnea* or hypopnea*))
- # 11 129 TI=((trauma* or post-trauma* or post-concussive*) NEAR/2 encephalopath*) or TS=((trauma* or post-trauma* or post-concussive*) NEAR/2 encephalopath*)
- # 10 9 955 TI=(tbi or tbis) or TS=(tbi or tbis)
- # 9 49 579 TI=((brain or cortical or cerebral or hemisphere) NEAR/2 (injury or injuries or laceration* or trauma* or contusion*)) OR TS=((brain or cortical or cerebral or hemisphere) NEAR/2 (injury or injuries or laceration* or trauma* or contusion*))
- # 8 25 995 TI=((head or skull or craniocerebral or cerebrocranial or cranial) NEAR/2 (injury or injuries)) OR TS=((head or skull or craniocerebral or cerebrocranial or cranial) NEAR/2 (injury or injuries))

- # 7 9 004 TI=((occipital or head or forehead or craniocerebral or cerebrocranial or cranial or parietal or temporal or frontal) NEAR/2 (trauma* or wound*)) or TS=((occipital or head or forehead or craniocerebral or cerebrocranial or cranial or parietal or temporal or frontal) NEAR/2 (trauma* or wound*))
- # 6 13 349 TI=((persistent* or transient* or permanent*) NEAR/3 (unaware* or vegetativ* or state*)) OR TS=((persistent* or transient* or permanent*) NEAR/3 (unaware* or vegetativ* or state*))
- # 5 524 TI=(minimal* NEAR/2 conscious*) or TS=(minimal* NEAR/2 conscious*)
- # 4 2 667 TI=(loss NEAR/2 conscious*) or TS=(loss NEAR/2 conscious*)
- # 3 34 828 TI=(coma* or pseudocoma* or syncope*) OR TS=(coma* or pseudocoma* or syncope*)
- # 2 3 742 TI=("glasgow coma scale") OR TS=("glasgow coma scale")
- # 1 10 267 TS=unconscious* OR TI=unconscious*

Cocharane Library

Dato: 27.01.2012

Antall treff: 43 (Other Review)

- #1 MeSH descriptor Unconsciousness explode all trees 525
- #2 MeSH descriptor Glasgow Coma Scale explode all trees 296
- #3 unconscious*:ti,ab,kw 367
- #4 (loss NEAR/3 conscious*):ti,ab,kw 247
- #5 (minimal NEAR/3 conscious*):ti,ab,kw 7
- #6 (coma* or pseudocoma*):ti,ab,kw 1212
- #7 ((persistent* or transient* or permanent*) NEAR/5 (unaware* or vegetativ* or state*)):ti,ab,kw 96
- #8 (alter* NEAR/3 mental NEAR/3 status):ti,ab,kw 23
- #9 syncope*:ti,ab,kw 578
- #10 (glasgow NEAR/2 scale):ti,ab,kw 709
- #11 MeSH descriptor Craniocerebral Trauma explode all trees 1563
- #12 ((occipital or head or forehead or craniocerebral or cerebrocranial or cranial or parietal or temporal or frontal) NEAR/2 (trauma* or wound*)):ti,ab,kw 450
- #13 ((head or skull or craniocerebral or cerebrocranial or cranial) NEAR/2 (injury or injuries)):ti,ab,kw 810
- #14 MeSH descriptor Brain Injuries explode all trees 854
- #15 ((brain or cortial or cerebral or hemisphere) NEAR/2 (injury or injuries or laceration* or trauma* or contusion*)):ti,ab,kw 1527
- #16 (tbi or tbis):ti,ab,kw 451
- #17 ((trauma* or post-trauma* or post-concussive*) NEAR/2 encephalopath*):ti,ab,kw 5
- #18 MeSH descriptor Sleep Apnea Syndromes explode all trees 1030
- #19 ((sleep or nocturnal) NEAR/2 (apnea* or hypopnea*)):ti,ab,kw 1788
- #20 (sleep-disordered NEAR/2 breathing):ti,ab,kw 189
- #21 hypersomnia*:ti,ab,kw 65

- #22 (#1 OR #2 OR #3 OR #4 OR #5 OR #6 OR #7 OR #8 OR #9 OR #10 OR #11 OR #12 OR #13 OR #14 OR #15 OR #16 OR #17 OR #18 OR #19 OR #20 OR #21) 6833
- #23 MeSH descriptor Supine Position explode all trees 450
- #24 MeSH descriptor Patient Positioning explode all trees 39
- #25 ((dorsal or supine or semisupine or semi supine or back) NEAR/2 (posture* or position*)):ti,ab,kw 1518
- #26 (((back or spine) NEAR/2 board*) or spineboard* or backboard*):ti,ab,kw 25
- #27 (vacuum NEAR mattress*):ti,ab,kw 6
- #28 (#23 OR #24 OR #25 OR #26 OR #27) 1554
- #29 (#22 AND #28)54

Cinahl

Dato: 27.01.2012

Antall treff: 311

- S29 S22 and S28 311
- S28 S23 or S24 or S25 or S26 or S27 5954
- S27 TI (vacuum N2 mattress*) OR AB (vacuum N2 mattress*) 9
- S26 TI ((((back or spine) N2 board*) or spineboard* or backboard*)) OR AB ((((back or spine) N2 board*) or spineboard* or backboard*)) 103
- S25 TI ((dorsal or supine or semisupine or semi supine or back) N3 (posture* or position* or lying*)) OR AB ((dorsal or supine or semisupine or semi supine or back) N3 (posture* or position* or lying*)) 1377
- S24 (MH "Patient Positioning") 4173
- S23 (MH "Supine Position") 1089
- S22 S1 or S2 or S3 or S4 or S5 or S6 or S7 or S8 or S9 or S10 or S11 or S12 or S13 or S14 or S15 or S16 or S17 or S18 or S19 or S20 or S21 32488
- S21 TI hypersomnia* OR AB hypersomnia* S60
- S20 TI (sleep-disordered N2 breathing) OR AB (sleep-disordered N2 breathing)659
- S19 TI (((sleep or nocturnal) N2 (apnea* or hypopnea*))) OR AB (((sleep or nocturnal) N2 (apnea* or hypopnea*))) 2702
- S18 (MH "Sleep Apnea Syndromes+") 4199
- S17 TI (((trauma* or post-trauma* or post-concussive*) N2 encephalopath*)) OR AB (((trauma* or post-trauma* or post-concussive*) N2 encephalopath*)) 20
- S16 TI (tbi or tbis) OR AB (tbi or tbis) 2720
- S15 TI (((brain or cortical or cerebral or hemisphere) N2 (injury or injuries or laceration* or trauma* or contusion*))) OR AB (((brain or cortical or cerebral or hemisphere) N2 (injury or injuries or laceration* or trauma* or contusion*))) 8814
- S14 TI (((head or skull or craniocerebral or cerebrocranial or cranial) N2 (injury or injuries))) OR AB (((head or skull or craniocerebral or cerebrocranial or cranial) N2 (injury or injuries))) 3505

- S13 TI (((occipital or head or forehead or craniocerebral or cerebrocranial or cranial or parietal or temporal or frontal) N2 (trauma* or wound*))) OR AB (((occipital or head or forehead or craniocerebral or cerebrocranial or cranial or parietal or temporal or frontal) N2 (trauma* or wound*))) 1320
- S12 (MH "Head Injuries+")17205
- S11 TI glasgow N2 scale OR AB glasgow N2 scale S1320
- S10 TI syncope* OR AB syncope* 1775
- S9 TI alter* N3 mental N3 status OR AB alter* N3 mental N3 status 368
- S8 TI (((persistent* or transient* or permanent*) N5 (unaware* or vegetativ* or state*))) OR AB (((persistent* or transient* or permanent*) N5 (unaware* or vegetativ* or state*))) 408
- S7 TI (coma* or pseudocoma*) OR AB (coma or pseudocoma*) 2485
- S6 TI (((loss or minimal) N2 conscious*) OR AB (((loss or minimal) N2 conscious*)) 489
- S5 TI unconscious* OR AB unconscious*961
- S4 (MH "Coma") 1040
- S3 (MH "Comatose Patients") 137
- S2 (MH "Glasgow Coma Scale") 3191
- S1 (MH "Unconsciousness+")

Spørsmål 2/Pico2

Given an existing spinal (cord) injury, will changing the patient's position from supine to lateral (as in lateral/recovery position or log roll) worsen the spinal injury?

Database: Ovid MEDLINE(R) <1946 to January Week 3 2012>

Search Strategy: 30.01.2012

Antall treff: 274

- 1 Spinal Cord Injuries/ (24450)
- 2 exp Back Injuries/ (16744)
- 3 cervical vertebrae/in or lumbar vertebrae/in or thoracic vertebrae/in (8957)
- 4 (myelopath* adj2 (trauma* or post-trauma*)).tw. (79)
- 5 ((spinal or spine* or back) adj2 (contusion* or injury or injuries or trauma* or laceration* or transection*)).tw. (26300)
- 6 cervical vertebrae/ or lumbar vertebrae/ or thoracic vertebrae/ (63177)
- 7 ((cervical or lumbar or lumbalis or thoracic or thoracal or thoracolumbar or neck or cervicodorsal) adj2 (spine or spinal or backbone or column or vertebra* or canal)).tw. (54006)
- 8 "Wounds and Injuries"/ (56509)
- 9 (wound* or injur* or trauma*).tw. (636986)
- 10 (6 or 7) and (8 or 9) (15857)
- 11 1 or 2 or 3 or 4 or 5 or 10 (55125)

- 12 patient positioning/ (692)
- 13 (patient* adj2 position*).tw. (4627)
- 14 transportation of patients/ (7563)
- 15 (patient* adj2 (transport* or maneuver* or moving or transfer*)).tw. (8051)
- 16 exp Immobilization/ (21028)
- 17 immobili?ation*.tw. (27326)
- 18 ((recovery or lateral) adj2 (posture* or position*)).tw. (3642)
- 19 ltp.tw. (6454)
- 20 log roll*.tw. (39)
- 21 haines*.tw. (63)
- 22 (high adj arm*).tw. (43)
- 23 atls.tw. (415)
- 24 phtls.tw. (20)
- 25 or/12-24 (72164)
- 26 11 and 25 (1833)
- 27 trauma severity indices/ or injury severity score/ (13401)
- 28 "Severity of Illness Index"/ (136130)
- 29 ((rating or asia or injur* or trauma*) adj2 (score* or scale or severit*)).tw. (37097)
- 30 motion/ or rotation/ (26948)
- 31 Range of Motion, Articular/ (27516)
- 32 (rotation or motion or (axis adj chang*) or (translat* adj4 (lateral or ap))).tw. (122524)
- 33 or/27-32 (324324)
- 34 26 and 33 (274)

Database: Embase <1980 to 2012 Week 04>

Search Strategy:

Antall treff: 634

- 1 exp spine injury/ (29718)
- 2 exp spinal cord injury/ (43230)
- 3 ((spinal or spine* or back) adj2 (contusion* or injury or injuries or trauma* or laceration* or transection*)).tw. (32088)
- 4 (myelopath* adj2 (trauma or post-trauma*)).tw. (31)
- 5 or/1-4 (76050)
- 6 cervical spine/ or lumbar spine/ or thoracic spine/ or thoracolumbar spine/ (51822)
- 7 ((cervical or lumbar or lumbalis or thoracic or thoracal or thoracolumbar or neck or cervicodorsal) adj2 (spine or spinal or backbone or column or vertebra* or canal)).tw. (65283)
- 8 injury/ (209008)
- 9 (wound* or injur* or trauma*).tw. (770699)
- 10 (6 or 7) and (8 or 9) (18040)
- 11 5 or 10 (82838)

- 12 spine instabilitly/ or spine stabilization/ (5149)
- 13 patient positioning/ (10632)
- 14 (patient* adj2 position*).tw. (6186)
- 15 patient transport/ (16302)
- 16 (patient* adj2 (transport* or maneuver* or moving or transfer*)).tw. (10581)
- 17 immobilization/ (26904)
- 18 Immobilization*.tw. (34017)
- 19 ((recovery or lateral) adj2 (posture* or position*)).tw. (4493)
- 20 ltp.tw. (7880)
- 21 log roll*.tw. (47)
- 22 haines*.tw. (74)
- 23 (high adj arm*).tw. (56)
- 24 atls.tw. (515)
- 25 phtls.tw. (22)
- 26 or/12-25 (106855)
- 27 11 and 26 (4858)
- 28 rating scale/ (71028)
- 29 injury scale/ (10147)
- 30 ((rating or asia or injur* or trauma*) adj2 (score* or scale or severit*)).tw. (47749)
- 31 motion/ or rotation/ (27945)
- 32 motion analysis system/ (1507)
- 33 range of motion/ (10276)
- 34 (rotation or motion or (axis adj change) or (translation adj4 (lateral or ap))).tw. (147976)
- 35 or/28-34 (272027)
- 36 27 and 35 (634)

Cochrane Library

Dato: 30.01.2012

Antall treff: 98 (Cochrane Reviews/4, Other Reviews/1, Clinical Trials/91, Economic Evaluations/2)

- | | | |
|----|---|------|
| #1 | MeSH descriptor Spinal Cord Injuries explode all trees | 747 |
| #2 | MeSH descriptor Back Injuries explode all trees | 636 |
| #3 | (myelopath* NEAR/3 (trauma* or post-trauma*)):ti,ab,kw | 2 |
| #4 | ((spinal or spine* or back) NEAR/3 (contusion* or injury or injuries or trauma* or laceration* or transection*)):ti,ab,kw | 1260 |
| #5 | (#1 OR #2 OR #3 OR #4) | 1818 |
| #6 | MeSH descriptor Cervical Vertebrae explode all trees | 592 |
| #7 | MeSH descriptor Lumbar Vertebrae explode all trees | 1693 |
| #8 | MeSH descriptor Thoracic Vertebrae explode all trees | 247 |

- #9 ((cervical or lumbar or lumbalis or thoracic or thoracal or thoracolumbar or neck or cervicodorsal) NEAR/3 (spine or spinal or backbone or column or vertebra* or canal)):ti,ab,kw 4706
- #10 (#6 OR #7 OR #8 OR #9) 4710
- #11 MeSH descriptor Wounds and Injuries explode all trees 12843
- #12 (wound* or injur* or trauma*):ti,ab,kw 30680
- #13 (#11 OR #12) 34943
- #14 (#10 AND #13)913
- #15 (#5 OR #14) 2275
- #16 MeSH descriptor Patient Positioning explode all trees 39
- #17 (patient* NEAR/2 position*):ti,ab,kw449
- #18 MeSH descriptor Transportation of Patients explode all trees 172
- #19 (patient* NEAR/3 (transport* or maneuver* or moving or transfer*)):ti,ab,kw 880
- #20 MeSH descriptor Immobilization explode all trees 523
- #21 immobili?ation*:ti,ab,kw 947
- #22 ((recovery or lateral) NEAR/3 (posture* or position*)):ti,ab,kw 523
- #23 (ltp or haines* or atls or phtls):ti,ab,kw 61
- #24 (log roll*):ti,ab,kw 8
- #25 (high NEAR/2 arm*):ti,ab,kw 235
- #26 (#16 OR #17 OR #18 OR #19 OR #20 OR #21 OR #22 OR #23 OR #24 OR #25) 3181
- #27 (#15 AND #26)98

ISI Web of Science

Dato: 30.01.2012

Antall treff: 209

- # 16 209 #15 AND #12
- # 15 578312 #14 OR #13
- # 14 519117 TI=(rotation or motion or (axis adj change) or (translation adj4 (lateral or ap))) OR TS=(rotation or motion or (axis adj change) or (translation adj4 (lateral or ap)))
- # 13 60565 TI=((rating or asia or injur* or trauma*) NEAR/2 (score* or scale or severit*)) OR TS=((rating or asia or injur* or trauma*) NEAR/2 (score* or scale or severit*))
- # 12 1052 #11 AND #5
- # 11 83304 #10 OR #9 OR #8 OR #7 OR #6
- # 10 10553 TI=(ltp or log roll* or haines* or (high NEAR/2 arm) or atls or phtls) OR TS=(ltp or log roll* or haines* or (high NEAR/2 arm) or atls or phtls)
- # 9 4136 TI=((recovery or lateral) NEAR/2 (posture* or position*)) OR TS=((recovery or lateral) NEAR/2 (posture* or position*))
- # 8 53856 TI=immobili?ation* OR TS=immobili?ation*

- # 7 9833 TI=(patient* NEAR/2 (transport* or maneuver* or moving or transfer*))
OR TS=(patient* NEAR/2 (transport* or maneuver* or moving or transfer*))
- # 6 5744 TI=(patient* NEAR/2 position*) OR TS=(patient* NEAR/2 position*)
- # 5 40112 #1 or #2 or (#3 and #4)
- # 4 645887 TI=(wound* or injur* or trauma*) OR TS=(wound* or injur* or
trauma*)
- # 3 54212 TI=((cervical or lumbar or lumbalis or thoracic or thoracal or
thoracolumbar or neck or cervicodorsal) NEAR/2 (spine or spinal or backbone or
column or vertebra* or canal)) OR TS=((cervical or lumbar or lumbalis or thoracic
or thoracal or thoracolumbar or neck or cervicodorsal) NEAR/2 (spine or spinal or
backbone or column or vertebra* or canal))
- # 2 34293 TI=((spinal or spine* or back) NEAR/2 (contusion* or injury or injuries or
trauma* or laceration* or transection*)) OR TS=((spinal or spine* or back)
NEAR/2 (contusion* or injury or injuries or trauma* or laceration* or
transection*))
- # 1 103 TI=(myelopath* NEAR/2 (trauma* or post-trauma*)) OR TS=(myelopath*
NEAR/2 (trauma* or post-trauma*))

Cinahl

Dato: 30.01.2012

Antall treff: 148

- S32 S25 and S31 148
- S31 S26 or S27 or S28 or S29 or S30 58047
- S30 TI ((rotation or motion or (axis N2 chang*) or (translat* N4 (lateral or ap)))) OR
AB ((rotation or motion or (axis N2 chang*) or (translat* N4 (lateral or ap))))
15535
- S29 (MH "Motion+") OR (MH "Motion Analysis Systems") OR (MH "Range of
Motion") 12707
- S28 TI (((rating or asia or injur* or trauma*) N2 (score* or scale or severit*))) OR AB
(((rating or asia or injur* or trauma*) N2 (score* or scale or severit*))) 9474
- S27 (MH "Severity of Illness") 8391
- S26 (MH "Trauma Severity Indices+") OR (MH "Severity of Injury") OR (MH "Severity
of Illness Indices") 21925
- S25 S14 and S24 934
- S24 S15 or S16 or S17 or S18 or S19 or S20 or S21 or S22 or S23 17642
- S23 TI ((ltp or log roll* or haines* or (high N2 arm) or atls or phtls)) OR AB ((ltp or
log roll* or haines* or (high N2 arm) or atls or phtls)) 250
- S22 TI (((recovery or lateral) N2 (posture* or position*))) OR AB (((recovery or
lateral) N2 (posture* or position*))) 445
- S21 TI (immobilization* or immobilisation*) OR AB (immobilization* or
immobilisation*) 1551

S20 (MH "Immobilization") 1627
 S19 TI ((patient* N2 (transport* or maneuver* or moving or transfer*))) OR AB ((patient* N2 (transport* or maneuver* or moving or transfer*))) 2824
 S18 (MH "Transportation of Patients+") 6035
 S17 TI (patient* n2 position*) OR AB (patient* n2 position*) 1213
 S16 (MH "Lateral Position") 34
 S15 (MH "Patient Positioning+") 5936
 S14 S6 or S13 17480
 S13 S11 and S12 4388
 S12 S9 or S10 169683
 S11 S7 or S8 12368
 S10 TI ((wound* or injur* or trauma*)) OR AB ((wound* or injur* or trauma*)) 105460
 S9 (MH "Wounds and Injuries+")118168
 S8 TI (((cervical or lumbar or lumbalis or thoracic or thoracal or thoracolumbar or neck or cervicodorsal) N2 (spine or spinal or backbone or column or vertebra* or canal))) OR AB (((cervical or lumbar or lumbalis or thoracic or thoracal or thoracolumbar or neck or cervicodorsal) N2 (spine or spinal or backbone or column or vertebra* or canal))) 7264
 S7 (MH "Cervical Vertebrae+") OR (MH "Thoracic Vertebrae") OR (MH "Lumbar Vertebrae") 9165
 S6 S1 or S2 or S3 or S4 or S5 15963
 S5 TI (((spinal or spine* or back) N2 (contusion* or injury or injuries or trauma* or laceration* or transection*))) OR AB (((spinal or spine* or back) N2 (contusion* or injury or injuries or trauma* or laceration* or transection*))) 9236
 S4 TI ((myelopath* N3 (trauma* or post-trauma*))) OR AB ((myelopath* N3 (trauma* or post-trauma*))) 15
 S3 (MH "Cervical Vertebrae+/IN") OR (MH "Lumbar Vertebrae/IN") OR (MH "Thoracic Vertebrae/IN") 1346
 S2 (MH "Back Injuries+") 3901
 S1 (MH "Spinal Cord Injuries+") 10158