

Search Strategy

((((Influenza A[Title/Abstract] OR Flu A H3N2[Title/Abstract] OR Flu A H1N1[Title/Abstract] OR Flu A H1N1 2009 pdm[Title/Abstract] OR influenza B[Title/Abstract] OR Flu B Yamagata[Title/Abstract] OR Flu B Victoria[Title/Abstract] OR rhinovirus[Title/Abstract] OR HRV[Title/Abstract] OR RV[Title/Abstract] OR adenovirus[Title/Abstract] OR ADV[Title/Abstract] OR human metapneumovirus[Title/Abstract] OR hMPV[Title/Abstract] OR respiratory syncytial virus[Title/Abstract] OR RSV[Title/Abstract] OR human coronavirus[Title/Abstract] OR human coronavirus NL63[Title/Abstract] OR human coronavirus 229E[Title/Abstract] OR human coronavirus OC43[Title/Abstract] OR human coronavirus HKU1[Title/Abstract] OR HCoV[Title/Abstract] OR HCoV-NL63[Title/Abstract] OR HCoV-229E[Title/Abstract] OR HCoV-OC43[Title/Abstract] OR HCoV-HKU1[Title/Abstract] OR human bocavirus 1[Title/Abstract] OR HBoV-1[Title/Abstract] OR parainfluenza virus 1-4[Title/Abstract] OR PIV[Title/Abstract] OR PIV 1[Title/Abstract] OR PIV 2[Title/Abstract] OR PIV 3[Title/Abstract] OR PIV 4[Title/Abstract] OR respiratory virus[Title/Abstract])) AND (clinical features[Title/Abstract] OR clinical manifestations[Title/Abstract] OR clinical characteristics[Title/Abstract] OR clinical characterization[Title/Abstract] OR clinical outcomes[Title/Abstract] OR clinical presentations[Title/Abstract] OR symptoms[Title/Abstract])) AND (neonate[Title/Abstract] OR newborn[Title/Abstract] OR infant[Title/Abstract] OR child[Title/Abstract] OR children[Title/Abstract] OR adolescent[Title/Abstract] OR teenager[Title/Abstract] OR toddlers[Title/Abstract] OR age < 18 years old[Title/Abstract]))